

IGOL.

LUBRICANTS


TRANSPORT



- Engine oils
- Gearboxes & axles
- Transmissions
- Greases
- Other products



Engine oils



PRO 550X 5W-30

ACEA E4-12/E6-12/E7-12/E9-12 ; API CJ-4 ; IVECO ; MB 228.51/ 228.31 ; MAN M3477/ M 3575/M3271-1 ; MTU Type 3.1 ; VOLVO VDS-4 ; RENAULT VI RLD-3 ; MACK EO-O Premium Plus ; Deutz DQC IV-10 LA ; Detroit Diesel 93K218 ; CUMMINS CES 20081 ; DAF Motorisations Euro VI ; IVECO 18-1804 TLS E6 (meet the requirements)

PRO 500X 5W-30

ACEA E9 / E7 / E6-08 Issue 2 ; API CJ-4 / SN ; MB-Approval 228.51/ 228.31* ; Mercedes-Benz MB 235.28 ; MAN M3477* / MAN M3677* / MAN M3271-1* / M3277* / MAN M 3275* ; MTU Type 3.1 ; VOLVO VDS-4/ VDS-3 ; RENAULT RXD, RLD-3, RLD-2, RGD ; MACK EO-O PP,

EO-N PP, EO-M Plus ; CUMMINS CES 20081 ; JASO DH-2 ; CATERPILLAR ECF-3 ; VOITH RETARDER OIL CLASS B ; Scania Low Ash Approval* ; Deutz DQC IV-10 LA* ; Motorisations Euro VI ; DAF ; IVECO

** Approved quality. Recommendations for use according to manufacturer warranties*

PRO 400X 10W-30/10W-40/15W-40

ACEA E9-08 Issue 2 ; API CI-4/CJ-4/CH-4/CG-4/ SN/SM ; MTU Type 2.1 ; Caterpillar ECF -3, 2, 1-a ; DEUTZ DQC III-10 LA* ; JASO DH-2 (Grade 10W-30) ; DAF motorisations Euro VI ; CNH MAT 3521 (Grade 10W-30) ; VOLVO VDS-4* / VDS-3 / VDS-2 ; MERCEDES MB p.228.31 ; MAN M 3575 ; CUMMINS CES 20081 ; RVI RLD-3/RLD-2/ RLD* ; MACK EO-O Premium Plus* Motorisations Euro VI

** Approved quality. Recommendations for use according to manufacturer warranties*

PRO 300X 10W-40

ACEA E9 / E7 / E6-08 Issue 2 (2010) ; API CI-4 ; MB-Approval.228.51* ; MAN M3477*/M3277 (Low Ash)* ; Renault Truck RGD* ; Renault Truck RXD* ; MTU Type 3.1 ; JASO DH-2* ; Volvo VDS-3* ; Volvo CNG ; Mack EO-N/M Plus ; Cummins CES 20076/20077 ; Cat ECF-1-a ; Scania Low Ash Approval* ; Deutz DQC IV-10 LA* Motorisations Euro VI

** Approved quality. Recommendations for use according to manufacturer warranties*

PRO 200X 10W-40

ACEA E6 / E7 ; API CI-4 / CH-4 / CG-4 / CF-4 ; Renault Trucks RLD-2/RXD/RGD* ; MB-Approval 228.51* ; MB 226.9 (MTR) ; MAN M3477*/M3271-1* ; VOLVO VDS-3



(pending approval) ; MTU Type 3.1* ; DAF meet Requirements ; Deutz DQC-III-10 LA ; Cummins CES 20076/77 ; MACK EO-N ; JASO DH-2 Motorisations Euro VI

** Approved quality. Recommendations for use according to manufacturer warranties*

PRO 140X 10W-40

ACEA E4/E7 ; API CI-4 ; SCANIA LDF-2/LDF-3* ; VOLVO VDS-3 ; MERCEDES MB p.228.5 ; MAN M 3277 ; RVI RLD-2 ; DEUTZ DQC III-10 ; VOITH CLASS A / MB 235.27 / RXD ; Motorisations Euro VI special Scania

** Approved quality. Recommendations for use according to manufacturer warranties*

PRO 150X 5W-30

ACEA E4-12 / E7-12 ; MB p.228.5 ; MAN M3277 ; MTU Type 3 ; Deutz DQC IV-10 ; DAF - Extended drain ; Volvo VDS-3 ; Renault RD-2 ; Scania LDF-3 ; Ford WSS-M2C212-A1 ; Renault RXD, VOITH CLASS B & MB 235.28

Motorisations Euro IV/V

PRO 100X 10W-40 / 15W-40

ACEA E7/E5/E3 ; API CI-4/CH-4/CG-4 ; MAN M 3275 ; RVI RLD/RLD-2 ; VOLVO VDS-3 ; CUMMINS CES 20076/77/78 ; Mercedes-Benz p.228.3 ; CATERPILLAR ECF-2 / ECF-1a ; Mack EO-N, EO-M Plus ; ZF TE-ML 07C (grade 15W-40) ; DEUTZ DQC III-10 ; MTU Type 2 ; GLOBAL DHD-1 (grade 10W-40) ; NH-330H (Grade 15W-40) ; Motorisations Euro IV/V

PRO 100X 10W-30

ACEA E7/E5/E3 ; API CI-4/CH-4/CG-4 ; VOLVO VDS-2 MERCEDES MB p.228.3 ; MAN M 3275 ; RVI RLD/RLD-2 ; Cummins CES 20077/78 ; ALLISON C4 ; MACK EO-M Plus ; Caterpillar ECF-2, ECF-1a ; Motorisations Euro IV/V

PRO 7X 15W-40

ACEA E5/E3 ; API CH-4/CG-4 ; Mercedes MB p.228.3/229.1 ; MAN M 3275 ; VOLVO VDS-2 ; RVI RLD/RLD-2 ; Cummins CES 20076/77 ; Caterpillar ECF-2, ECF-1a
Motorisations EURO II / III

PRO 4X 15W-40

ACEA E2 ; API CG-4 ; VOLVO VDS ; Mercedes MB p.228.1 ; MAN M 271 ; Ford New Holland NH 330G ; ALLISON C4 ; ZF TE-ML 04C ; MIL-L 2104E

PRO 4 15W-40

ACEA E2 ; API CF-4 / CF ; API CE, CD/SF - CCMC D-4 ; Ford New Holland NH 330G ; MERCEDES MB p.227.1 ; MIL-L 2104E



PRO 4 MONO SAE 30 40 50

ACEA E2 ; API CF-4/CF ; API CE/CD/SF ; CCMC D-4 ; Mercedes 227.0 (Grade SAE 30)
Motorisations Euro II

PRO HMGR 15W-40

VOLVO CNG ; MERCEDES MB p.226.9 ; MAN M3271-1 ; RVI RGD* ; Cummins CES 20076/77

** Approved quality. Recommendations for use according to manufacturer warranties*

Technology for LP G-powered vehicles, for trucks or buses fuelled by natural gas (LNG) and LPG (Liquid Petroleum Gas)

PRO HMGS SAE 40

MIL-L-2104C

Oil for LPG engines or stationary machinery.

PRO MMX 10W-40

ACEA E4/E6/E7 ; API CI-4 ; VOLVO CNG / VDS-3 ; SCANIA Low ASH ; MB p.228.51 ; IVECO (E6 & TBN ≥ 12 mgKOH/g) ; MAN M 3477/ M 3271-1 ; DEUTZ DQC IV-10 Low Ash ; RVI /RXD/RLD-2, RGD ; MTU Type 3.1 ; DAF

PRO DIESEL 2 T 15W-40 SAE 30 SAE 40

API CD II ; API CF/CF-2 ; Detroit Diesel : 6V92TA-TEST ; Caterpillar ; Allison C3 ; Mack EO-J

Gearboxes & axles

TRANS GEAR MBT 75W-90

Synthetic lubricant for manual transmissions.
API GL-4 ; Mercedes MB 235.11 ; MAN 341 Type MB ; ZF TE-ML 08

TRANS GL3 80W-90

API GL-3
Gearbox lubricant where 20W-50 motor oil is required.

SYNTHEGEAR 75W-90 / 75W-110

Extreme pressure synthetic lubricant for gearboxes and axles API GL-4/GL-5 ; API MT-1 ; DAF ; MAN M 3343 Type S ; MAN 341 Type E-3* (SAE 75W-90) ; MAN 341 Typ Z2* (SAE 75W-90) ; MAN 342 M3* (SAE 75W-90) ; SCANIA STO 1:0 ; IVECO ; MIL-PRF-2105E ; ARVIN MERITOR 0-76-N ; MACK GO-J ; MB-Approval 235.8* (SAE 75W-90) ; ZF TE-ML 02B 05B 12L 12N 16F 17B 19C 21B* (SAE 75W-90) ; VOLVO 97312 - SAE J 2360* (SAE 75W-90)

** Approved quality. Recommendations for use according to manufacturer warranties*

SYNTHEGEAR LS 75W-90

API GL-4 ; API GL-5 (LS) ; API MT-1 ; SAE J2360 ; DAF ; MAN M 3343 Type S ; MAN 341 Type E- 3 ; MAN 341 Typ Z2 ; MAN 342 M3 ; SCANIA STO 1:0 ; IVECO ; MIL-L-20105D ; MIL- PRF- 2105E ; ARVIN MERITOR 0-76-N ; MACK GO-J ; MB 235.8 ; ZF TE-ML 02B 05B 12L 12N 16F 17B 19C 21B ; VOLVO 97312

TRANS GEAR ZF PLUS 75W-80

Synthetic oil for manual transmissions in commercial vehicles and HGVs.
API GL-4 ; MAN 341 Type Z4 ; ZF TE-ML 02L* & 16K* ; VOLVO 97305 ; MAN 341 Type E3 ; ZF TE-ML 01L ; DAF ; IVECO ; RENAULT

** Approved quality. Recommendations for use according to manufacturer warranties*

TRANS EPA 80W-85W / 80W-90 / SAE 90

Oil for gearboxes and axles API GL-4
MB-Approval 235.1* (80W85W)
ZF TE ML 02B 17A (80W85W)

** Approved quality. Recommendations for use according to manufacturer warranties*

GEAR S 80W-90 / 85W-140

Oil for gearboxes and axles
API GL-5 ; SCANIA STO 1:0 ;
MAN 342 TYPE M-2 (80W-90)

LONG GEAR 80W-90

Long lasting axle lubricant for HGVs
API GL-5 / MT-1 Mercedes MB 235.20
ZF TE ML 05A 05B 07A 08 12B 12E 16B 16C 16D 16F 17B 19B 19C 21A 21B
MIL-PRF-2105E / SAE J 2360 MAN 342 Type M3
SCANIA STO 1:0
Can be used where oil meeting the 235.0 or 235.6 norm is required.

GEAR M 80W-90

Special HGV oil for gearboxes and axles.
API GL-5 ; MAN M3343 M
ZF TE ML 02B 05A 12E 16B 17B 19B 21A

HYPOID B 80W-90

Oil for gearboxes and extreme pressure hypoid gear axles.
API GL-5
MAN 342 Type M1 & M2 MIL-PRF-2105 D
ZF TE ML 05A 07A 08 12E 16B 16C 17B 19B 21A

HYPOID B 85W-90

Oil for gearboxes and extreme pressure hypoid gear axles.
API GL-5 ; DAF ; MAN 342 Type M1 ;
MB-Approval 235.0* MIL-PRF-2105 D ;
Renault (where API GL-5 is recommended)
VOITH 3.325-339 ;
VOLVO 97310/97316 ZF ;
TE ML 07A 16B 16D ;
ZF TE ML 16C 17B 19B 21A*

** Approved quality. Recommendations for use according to manufacturer warranties*

HYPOID B 85W-140


Oil for gearboxes and extreme pressure hypoid gear axles.
API GL-5 MIL-PRF-2105 D VOLVO 1273.10
ZF TE ML 07A 08 12E 16C 16D 21A

HYPOID MONOGRADE SAE 90 / SAE 140

Oil for gearboxes and hypoid gear axles.
API GL-5 ; Mercedes-Benz p235.0



Automatic transmissions



ATF VI

GM DEXRON®-VI License number J-60399*
Aisin Warner AW-1
Allison C-3, C-4
Esso LT 71141 ; Chrysler +4
Ford MERCON® SP
GM Type A, Suffix A (TASA)
GM DEXRON®, -II, -IID, -IIE, -IIIF, -IIIG, -IIIH
JASO 1-A
JWS 3309
MAN 339 Type V-1 / MAN 339 Type Z-1
MB 236.1 / MB 236.41/ MB 236.5 Mitsubishi /
Hyundai / Kia SP III ; Hyundai / Kia SP IV
Nissan Matic-S ; Shell M115
Texaco ETL-7045E / Texaco ETL-8072B ;
Toyota T-IV, WS
Vickers M-2950-S, I-286-S ; Voith 55.6335.XX
Volvo 97341
ZF TE-ML- 09 11B 14A

** Approved quality. Recommendations for use according to manufacturer warranties*

ATF 430

G. M. DEXRON III H
MERCON
GM Type A suffix A Allison C-4 /
TES-389 FIAT 9.55550.AG1 FIAT 9.55550.AG2
ZF TE-ML 02F 03D 04D 05L 09 11B 14A 17C 21L
Voith 55.6335
MAN 339 Z1 / 339 V1
Mercedes p.236.1 / 236.5 / 236.9
VOLVO 97341

ATF 700

Allison C4 / TES-295
BMW LT41141, LA2636, ETL-7045, 8072B
Caterpillar TO-2
Chrysler +3, +4
FIAT 9.55550.AG2 Ford M / M.V
GM DII, DIII (G), DIII (H)
VW/AUDI G 052 025 (09M), G052 990 (09A)
Jaguar Idemitsu K17
Jaso M314-2004
Mercedes MB p.236.3/5/6/7/9/10/11
Land Rover Texaco N402
Nissan Matic D, J, K
Subaru ATF, Plus ATF-HP
Toyota T-III, T-IV
Volvo Std 1273.4
HMC/KIA SP-III
Mazda ATF M-III, M5
Honda Z1
Voith 55.6335.xx*
ZF TE-ML 03D 04D 14A 14B 17C*
MAN 339V1, 339Z2*

** Approved quality. Recommendations for use according to manufacturer warranties*

Other products

IGOL PREMIUM GREASE

NLGI 2 Grade

IGOL RALLYE GREASE

NLGI 2 Grade

IGOL SHP 50

NLGI 2 Grade

IGOL PERFECT PLUS

NLGI 2 Grade

IGOL ROULEMENT EP

NLGI 3 - 2 - 1 - 0 - 00 - 000 Grades

IGOL ROULEMENT BIMO EP


NLGI 2 Grade

IGOL SELLETTES

NLGI 2 Grade

PROBEOL GREASE SHP 50

Intrinsically biodegradable > 50%
(according to OECD 301B norm)
NLGI 2 Grade




ADBLUE®

Aqueous urea solution

ADBLUE ADDITIVE®

Aqueous urea solution
with additives



Workshop



VEGETABLE-BASED ABSORBENT :

PROBEOL ABSORB

(NF 336 Environment & NF P 98-190)

MINERAL-BASED ABSORBENT :

ABSORBANT POUDRE ABSORBANT GRANULÉS

(NF T 98-190)

SAVONS :

PROBEOL POUDRE MAINS (With European Ecolabel)



CREME LAVANTE MICROBILLE (solvent-free)

MECA BLEU LAVANDE

GEL MAIN MICROBILLES BIO D9 BLEU

Heat-transfer fluids

WINDSCREEN WASHER FLUIDS :

LAVE-GLACE DEGIVRANT

LAVE-GLACE TOUTES SAISONS

LAVE-GLACE ÉTÉ

PROBEOL LAVE-GLACE

COOLANTS :

TRANSFLUID G

TRANSFLUID P

TRANSFLUID PLUS

ANTIGEL ORGANIQUE

TRANSMIX -35°C (yellow)

TRANSMIX M

TRANSFLUID VW PLUS

TRANSFLUID MP

PROBEOL LR MPG -25°C

IGOLMIX





Find out more about IGOL by scanning the QR code via your smartphone

IGOL BRETAGNE ANJOU

PA de la Forêt - BP 10
44140 LE BIGNON - FRANCE
T. +33 (0)2 40 32 80 00 / F. +33 (0)2 40 75 11 54

IGOL CENTRE

72, rue d'Alsace Lorraine - CS 70002
58028 NEVERS CEDEX - FRANCE
T. +33 (0)3 86 59 78 80 / F. +33 (0)3 86 59 14 88

IGOL PICARDIE ILE-DE-FRANCE

614, rue de Cagny - CS 19403
80094 AMIENS CEDEX 3 - FRANCE
T. +33 (0)3 22 47 79 47 / F. +33 (0)3 22 46 79 61

IGOL PICARDIE ILE-DE-FRANCE DIVISION INDUSTRIE

614, rue de Cagny - CS 19403
80094 AMIENS CEDEX 3 - FRANCE
T. +33 (0)3 22 47 79 47 / F. +33 (0)3 22 46 79 61

IGOL PROVENCE

Z.I. de la Palun
13548 GARDANNE CEDEX - FRANCE
T. +33 (0)4 42 51 78 00 / F. +33 (0)4 42 51 18 36

IGOL RHÔNE-ALPES

4, rue de l'Ozon
69360 SÉRÉZIN-DU-RHÔNE - FRANCE
T. +33 (0)4 78 02 39 00 / F. +33 (0)4 78 02 02 83

IGOL EXPORT

Z.I. de la Palun
13548 GARDANNE CEDEX - FRANCE
T. +33 (0)4 42 51 78 00 / F. +33 (0)4 42 51 18 36

IGOL FRANCE

614, rue de Cagny - CS 19403
80094 AMIENS CEDEX 3 - FRANCE
T. +33 (0)3 22 50 22 22 / F. +33 (0)3 22 50 22 23

www.igol.com