

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : **OIL CUT A 7 R**  
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use  
Use of the substance/mixture : Lubricant for metal working

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

IGOL FRANCE  
614, rue de Cagny - CS 69003  
80094 AMIENS CEDEX 3 - France  
T +33 (0)3 22 50 22 22  
[msds@igol.com](mailto:msds@igol.com) - [www.igol.com](http://www.igol.com)

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number
UNITED KINGDOM	National Poisons Information Service (Cardiff Centre) Gwenwyn Ward, Llandough Hospital	Penarth CF64 2XX Cardiff	0844 892 0111 (UK only, Monday to Friday, 08.00 to 18.00 hours)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Asp. Tox. 1 H304

Full text of H-phrases: see section 16

##### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Xn; R65  
R66

Full text of R-phrases: see section 16

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS08

Signal word (CLP) : Danger  
Hazardous ingredients : Distillates (petroleum), hydrotreated light , Hydrocarbons, C12-C15, n-alkanes, isoalkanes\*  
Hazard statements (CLP) : H304 - May be fatal if swallowed and enters airways  
Precautionary statements (CLP) : P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor  
P331 - Do NOT induce vomiting  
P405 - Store locked up  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation  
EUH phrases : EUH066 - Repeated exposure may cause skin dryness or cracking

#### 2.3. Other hazards

No additional information available

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated light	(CAS No) 64742-53-6 (EC no) 265-156-6 (EC index no) 649-466-00-2 (REACH-no) 01-2119480375-34-0000	25 - 50	Not classified	Asp. Tox. 1, H304
Hydrocarbons, C12-C15, n-alkanes, isoalkanes*		25 - 50	Xn; R65 R66	Asp. Tox. 1, H304

Full text of R- and H-phrases: see section 16

Comments : \* Contains one or more of the following EC numbers: EC920-107-4 (Reg. N°01-2119453414-43); EC921-050-8 (Reg. N°01-2119485032-45)

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: In all cases of doubt, or when symptoms persist, seek medical attention.
First-aid measures after inhalation	: In the event of faintness in consequence of exposure, immediately transport the victim to the fresh air. Obtain medical attention if breathing difficulty persists.
First-aid measures after skin contact	: Wash contaminated clothing before reuse. Wash with plenty of soap and water. Seek medical attention if ill effect or irritation develops.
First-aid measures after eye contact	: Contact ophthalmologist immediately. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye contact, immediately rinse with clean water for 10-15 minutes.
First-aid measures after ingestion	: Do not induce vomiting. If swallowed, rinse mouth with water (only if the person is conscious). Immediately call a POISON CENTER or doctor/physician. Never give anything by mouth to an unconscious person.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation	: Symptoms may include dizziness, headache, nausea and loss of coordination.
Symptoms/injuries after skin contact	: Prolonged or repeated contacts with the skin may cause dermatitis. Skin rash/inflammation. Redness. Itching.
Symptoms/injuries after eye contact	: May cause slight irritation. Redness. Pain.
Symptoms/injuries after ingestion	: May result in aspiration into the lungs, causing chemical pneumonia.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: Dry powder. Foam. Sand. AFFF foam. Water spray. Carbon dioxide.
Unsuitable extinguishing media	: Do not use water jet.

#### 5.2. Special hazards arising from the substance or mixture

Reactivity in case of fire	: On burning: release of harmful/irritant gases/vapours. Carbon oxides (CO, CO <sub>2</sub> ).
----------------------------	--

#### 5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Prevent fire-fighting water from entering environment. Exercise caution when fighting any chemical fire.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Self-contained breathing apparatus.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Protective equipment	: Concerning personal protective equipment to use, see section 8. Wear suitable protective clothing and gloves.
Emergency procedures	: Evacuate unnecessary personnel. Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). Provide adequate ventilation.

### 6.1.2. For emergency responders

- Protective equipment : Wear suitable protective clothing and gloves. Avoid breathing Aerosols, Vapours. Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area. Clean up any spills as soon as possible, using an absorbent material to collect it. Stop leak if safe to do so.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it. Collect all waste in suitable and labelled containers and dispose according to local legislation.

### 6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. For disposal of residues refer to section 13 : Disposal considerations " ".

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Additional hazards when processed : Provide proper grounding.
- Precautions for safe handling : Provide good ventilation in process area to prevent formation of vapour. Keep away from sources of ignition - No smoking. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke in areas where product is used.
- Hygiene measures : Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid contact with skin, eyes and clothing.

### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Comply with applicable regulations.
- Storage conditions : Keep away from sources of ignition - No smoking. Store in original container. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Keep container tightly closed. Keep container closed when not in use.
- Heat and ignition sources : No flames, no sparks. Eliminate all sources of ignition.
- Prohibitions on mixed storage : Oxidation agents.
- Storage area : Store away from heat. Floors should be impervious, resistant to liquids and easy to clean.
- Special rules on packaging : Keep only in original container.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

- Personal protective equipment : Avoid all unnecessary exposure.
- Materials for protective clothing : Separate working clothes from town clothes. Launder separately
- Hand protection : Wear suitable gloves resistant to chemical penetration. Chemical resistant gloves (according to European standard NF EN 374 or equivalent). Time of penetration is to be checked with the glove producer
- Eye protection : Eye protection, including both chemical splash goggles and face shield, must be worn when possibility exists for eye contact due to spraying liquid or airborne particles
- Skin and body protection : Wear suitable protective clothing
- Respiratory protection : Avoid the formation of mists in the atmosphere. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. respirator with combination filter for vapour/particles
- Other information : Provide local exhaust or general room ventilation to minimize vapour concentrations.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

- Physical state : Liquid
- Colour : Yellow.
- Odour : characteristic.
- Odour threshold : No data available

pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 122 °C [open cup NFT 60-118]
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 860 kg/m <sup>3</sup> (15°C) [NFT 60-101]
Solubility	: Water: Not miscible or Slightly miscible
Log Pow	: No data available
Viscosity, kinematic	: 5,6 mm <sup>2</sup> /s (40°C) [NFT 60-100]
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

All heat sources, including direct sunlight. Sparks. Open flame.

### 10.5. Incompatible materials

Strong oxidizers. Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

No additional information available

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Distillates (petroleum), hydrotreated light (64742-53-6)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 5,53 mg/l/4h
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.

OIL CUT A 7 R	
Viscosity, kinematic	5,6 mm²/s (40°C) [NFT 60-100]

## SECTION 12: Ecological information

### 12.1. Toxicity

Distillates (petroleum), hydrotreated light (64742-53-6)	
LC50 fish 1	> 100 mg/l 96 h
LC50 other aquatic organisms 1	> 100 mg/l
ErC50 (algae)	> 100 mg/l 48 h

### 12.2. Persistence and degradability

Distillates (petroleum), hydrotreated light (64742-53-6)	
Persistence and degradability	Not readily biodegradable. Inherently biodegradable.

### 12.3. Bioaccumulative potential

Distillates (petroleum), hydrotreated light (64742-53-6)	
Log Kow	> 3
Bioaccumulative potential	Bioaccumulative potential.

### 12.4. Mobility in soil

Distillates (petroleum), hydrotreated light (64742-53-6)	
Ecology - soil	Insoluble in water.

### 12.5. Results of PBT and vPvB assessment

Component	
Distillates (petroleum), hydrotreated light (64742-53-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Other adverse effects

Additional information : Do not discharge the product into the environment. Do not flush into surface water or sewer system

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : Do not discharge into drains or the environment. Dispose in a safe manner in accordance with local/national regulations.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
No dangerous good in sense of transport regulations.(ADR, RID, IMDG, IATA )				
<b>14.2. UN proper shipping name</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

### 14.6. Special precautions for user

#### - Overland transport

No data available

**- Transport by sea**

No data available

**- Air transport**

No data available

**- Inland waterway transport**

Carriage prohibited (ADN) : No

Not subject to ADN : No

**- Rail transport**

Carriage prohibited (RID) : No

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****15.1.1. EU-Regulations**

Contains no substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

**15.1.2. National regulations**

No additional information available

**15.2. Chemical safety assessment****For the following substances of this mixture a chemical safety assessment has been carried out**

Distillates (petroleum), hydrotreated light

**SECTION 16: Other information**

Training advice : Not to be used for any purpose other than the one the product was designed for.

Full text of R-, H- and EUH-phrases:

Asp. Tox. 1	Aspiration hazard, Category 1
H304	May be fatal if swallowed and enters airways
EUH066	Repeated exposure may cause skin dryness or cracking
R65	Harmful: may cause lung damage if swallowed
R66	Repeated exposure may cause skin dryness or cracking
Xn	Harmful

The Material Safety Data Sheet was drawn up in compliance with the actual regulation in force. It is only provided for information and can be modified without notice period. It can't be considered as a product warranty. Its sole publication does not create juridical and contractual engagements. A possible contractual relation can only occur from a contract, subjected by the general IGOLs sell conditions, between IGOL and another party. The information given in the Material Safety Data Sheet are based on the state of our knowledge relative to the product at the date indicated. The information, given bona fide, is strictly meant to advice users on security aspects. Then, the information can't be considered as products specifications. The product's specifications and applications can't be deduced from the information given on this Material Safety Data Sheet. The sheet completes the technical data sheet but doesn't replace it. The information presented in the Material Safety Data Sheet won't unload the user to evaluate the risks linked to its use of the product and to respect the regulation applied. The user's attention is attracted on the potential risks when a product is used for a different application than the one it is produced for. The user has to get informed and to apply all the regulation of its activity. The data and the legal prescriptions cited in the sheet only aim to help the user to respect some obligations. The user can't consider the data by as exhaustive. The user will take on its own responsibility the safe practices for the use of the product. IGOL can't be considered as responsible for the damages resulting of the material handling, stocking, use or destruction. The Material Safety Data Sheet was set up especially for this product and can only, since then, be used for this one. Besides, if the product is used as a component for another product, the user's attention is attracted on the fact that for that case the information can't be applicable.