

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Revision date: 01/04/2015 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : OIL CUT B 16 F

Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use,Professional use Use of the substance/mixture : Lubricant for metal working

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

IGOL FRANCE 614, rue de Cagny - CS 69003 80094 AMIENS CEDEX 3 - France T +33 (0)3 22 50 22 22 msds@igol.com - www.igol.com

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number
UNITED KINGDOM	National Poisons Information Service (Cardiff Centre) Gwenwyn Ward, Llandough Hospital	Penarth CF64 2XX Cardiff	0844 892 0111 (UK only, Monday to Friday, 08.00 to 18.00 hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Asp. Tox. 1 H304

Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS08

Signal word (CLP) : Danger

Hazardous ingredients : Distillates (petroleum), hydrotreated light , Mineral oil * Hazard statements (CLP) : H304 - May be fatal if swallowed and enters airways

Precautionary statements (CLP) : P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor

P331 - Do NOT induce vomiting

P405 - Store locked up

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

printed08/04/2015 EN (English) 1/1



Safety Data Sheet

according to Regulation (EC) No. 453/2010

Revision date: 01/04/2015 Version: 1.0

3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Mineral oil *		50 - 80	Not classified	Asp. Tox. 1, H304
Distillates (petroleum), hydrotreated light	(CAS No) 64742-53-6 (EC no) 265-156-6 (EC index no) 649-466-00-2 (REACH-no) 01- 2119480375-34-0000	25 - 50	Not classified	Asp. Tox. 1, H304

Full text of R- and H-phrases: see section 16

Comments : Contains highly refined mineral oil <3% DMSO extract (IP 346).

* Contains one or more of the following EC numbers: EC265-091-3; EC265-157-1 (Reg. n° 01-2119484627-25); EC265-159-2 (Reg. n° 01-2119480132-48); EC265-169-7 (Reg. n° 01-

2119471299-27); EC265-158-7 (Reg. n° 01-2119487077-29)

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: In all cases of doubt, or when symptoms persist, seek medical attention.

First-aid measures after inhalation

: In the event of faintness in consequence of exposure, immediately transport the victim to the fresh air. Obtain medical attention if breathing difficulty persists.

First-aid measures after skin contact

: Wash contaminated clothing before reuse. Wash with plenty of soap and water. Seek medical attention if ill effect or irritation develops.

First-aid measures after eye contact

: Contact ophthalmologist immediately. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye contact, immediately rinse with clean water for 10-15 minutes.

First-aid measures after ingestion

Do not induce vomiting. If swallowed, rinse mouth with water (only if the person is conscious). Immediately call a POISON CENTER or doctor/physician. Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation

: Symptoms may include dizziness, headache, nausea and loss of coordination.

Symptoms/injuries after skin contact

: Prolonged or repeated contacts with the skin may cause dermatitis. Skin rash/inflammation. Redness. Itching.

Symptoms/injuries after eye contact

: May cause slight irritation. Redness. Pain.

Symptoms/injuries after ingestion

: May result in aspiration into the lungs, causing chemical pneumonia.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry powder. Foam. Sand. AFFF foam. Water spray. Carbon dioxide.

Unsuitable extinguishing media : Do not use water jet.

5.2. Special hazards arising from the substance or mixture

Reactivity in case of fire : On burning: release of harmful/irritant gases/vapours. Carbon oxides (CO, CO2).

5.3. Advice for firefighters

Firefighting instructions

: Use water spray or fog for cooling exposed containers. Prevent fire-fighting water from entering environment. Exercise caution when fighting any chemical fire.

Protection during firefighting

: Do not enter fire area without proper protective equipment, including respiratory protection. Self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment

: Concerning personal protective equipment to use, see section 8. Wear suitable protective clothing and gloves.

Emergency procedures

: Evacuate unnecessary personnel. Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). Provide adequate ventilation.

6.1.2. For emergency responders

Protective equipment

: Wear suitable protective clothing and gloves. Avoid breathing Aerosols, Vapours. Equip cleanup crew with proper protection.

printed08/04/2015 EN (English) 2/1



Safety Data Sheet

according to Regulation (EC) No. 453/2010

Revision date: 01/04/2015 Version: 1.0

Emergency procedures

: Ventilate area. Clean up any spills as soon as possible, using an absorbent material to collect it. Stop leak if safe to do so.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Clean up any spills as soon as possible, using an absorbent material to collect it. Collect all waste in suitable and labelled containers and dispose according to local legislation.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. For disposal of residues refer to section 13: Disposal considerations" ".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

: Provide proper grounding.

Precautions for safe handling

: Provide good ventilation in process area to prevent formation of vapour. Keep away from sources of ignition - No smoking. Do not get in eyes, on skin, or on clothing. Do not eat, drink or

smoke in areas where product is used.

Hygiene measures

: Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Comply with applicable regulations.

Storage conditions

: Keep away from sources of ignition - No smoking. Store in original container. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Keep container

tightly closed. Keep container closed when not in use.

Heat and ignition sources

: No flames, no sparks. Eliminate all sources of ignition.

Prohibitions on mixed storage

: Oxidation agents.

Storage area

: Store away from heat. Floors should be impervious, resistant to liquids and easy to clean.

Special rules on packaging

: Keep only in original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Personal protective equipment

: Avoid all unnecessary exposure.

Materials for protective clothing

: Separate working clothes from town clothes. Launder separately

Hand protection

: Wear suitable gloves resistant to chemical penetration. Chemical resistant gloves (according to European standard NF EN 374 or equivalent). Time of penetration is to be checked with the

Eye protection

: Eye protection, including both chemical splash goggles and face shield, must be worn when possibility exists for eye contact due to spraying liquid or airborne particles

Skin and body protection

: Wear suitable protective clothing

Respiratory protection

 Avoid the formation of mists in the atmosphere. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. respirator with combination filter for vapour/particles

Other information

: Provide local exhaust or general room ventilation to minimize vapour concentrations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : brown.
Odour : characteristic.

Odour threshold : No data available pH : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available

printed08/04/2015 EN (English) 3/1



Safety Data Sheet

according to Regulation (EC) No. 453/2010

Revision date: 01/04/2015 Version: 1.0

: No data available Freezing point : No data available Boiling point

: 170 °C [open cup NFT 60-118] Flash point

Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) No data available Vapour pressure : No data available : No data available Relative vapour density at 20 °C Relative density : No data available

Density : 878 kg/m3 (15°C) [NFT 60-101] : Water: Not miscible or Slightly miscible Solubility

Log Pow : No data available

: 17 mm²/s (40°C) [NFT 60-100] Viscosity, kinematic

Viscosity, dynamic : No data available Explosive properties : No data available : No data available Oxidising properties : No data available Explosive limits

Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

Chemical stability

Stable at ambient temperature and under normal conditions of use.

Possibility of hazardous reactions

No additional information available

Conditions to avoid

All heat sources, including direct sunlight. Sparks. Open flame.

Incompatible materials

Strong oxidizers. Strong acids. Strong bases.

Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

Information on toxicological effects 11.1.

Acute toxicity : Not classified

Distillates (petroleum), hydrotreated light (64742-53-6)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 5,53 mg/l/4h	
Skin corrosion/irritation	: Not classified	

Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated : Not classified exposure)

Aspiration hazard : May be fatal if swallowed and enters airways.

OIL CUT B 16 F	
Viscosity, kinematic	17 mm²/s (40°C) [NFT 60-100]

printed08/04/2015 EN (English) 4/1



Safety Data Sheet

according to Regulation (EC) No. 453/2010

Revision date: 01/04/2015 Version: 1.0

SECTION 12: Ecological information

12.1. Toxicity

Distillates (petroleum), hydrotreated light (64742-53-6)		
LC50 fish 1	> 100 mg/l 96 h	
LC50 other aquatic organisms 1	> 100 mg/l	
ErC50 (algae)	> 100 mg/l 48 h	

12.2. Persistence and degradability

Distillates (petroleum), hydrotreated light (64742-53-6)		
Persistence and degradability	Not readily biodegradable. Inherently biodegradable.	

12.3. Bioaccumulative potential

Distillates (petroleum), hydrotreated light (64742-53-6)		
Log Kow	> 3	
Bioaccumulative potential	Bioaccumulative potential.	

12.4. Mobility in soil

Distillates (petroleum), hydrotreated light (64742-53-6)	
Ecology - soil	Insoluble in water.

12.5. Results of PBT and vPvB assessment

Component	
Distillates (petroleum), hydrotreated light	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
(64742-53-6)	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

Additional information : Do not discharge the product into the environment. Do not flush into surface water or sewer system

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations

: Do not discharge into drains or the environment. Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
No dangerous good in sense	of transport regulations.(ADR,	RID, IMDG, IATA)		
14.2. UN proper shippin	g name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard	class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards			
Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
environment : No	environment : No	environment : No	environment : No	environment : No
	Marine pollutant : No			
	No supplementary information available			

14.6. Special precautions for user

- Overland transport

No data available

- Transport by sea

No data available

- Air transport

No data available

printed08/04/2015 EN (English) 5/1



Safety Data Sheet

according to Regulation (EC) No. 453/2010

Revision date: 01/04/2015 Version: 1.0

- Inland waterway transport

Carriage prohibited (ADN) : No Not subject to ADN : No

- Rail transport

Carriage prohibited (RID) : No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been	carried out
Distillates (petroleum), hydrotreated light	

SECTION 16: Other information

Training advice : Not to be used for any purpose other than the one the product was designed for.

Full text of R-, H- and EUH-phrases:

Asp. Tox. 1	Aspiration hazard, Category 1
H304	May be fatal if swallowed and enters airways

The Material Safety Data Sheet was drawn up in compliance with the actual regulation in force. It is only provided for information and can be modified without notice period. It can't be considered as a product warranty. Its sole publication does not create juridical and contractual engagements. A possible contractual relation can only occurs from a contract, subjected by the general IGOLs sell conditions, between IGOL and another party. The information given in the Material Safety Data Sheet are based on the state of our knowledge relative to the product at the date indicated. The information, given bona fide, is strictly meant to advice users on security aspects. Then, the information can't be considered as products specifications. The product's specifications and applications can't be deduced from the information given on this Material Safety Data Sheet. The sheet completes the technical data sheet but doesn't replace it. The information presented in the Material Safety Data Sheet won't unload the user to evaluate the risks linked to its use of the product and to respect the regulation applied. The user's attention is attracted on the potential risks when a product is used for a different application than the one it is produced for. The user has to get informed and to apply all the regulation of its activity. The data and the legal prescriptions cited in the sheet only aim to help the user to respect some obligations. The user can't consider the data by as exhaustive. The user will take on its own responsibility the safe practices for the use of the product. IGOL can't be considered as responsible for the damages resulting of the material handling, stocking, use or destruction. The Material Safety Data Sheet was set up especially for this product and can only, since then, be used for this one. Besides, if the product is used as a component for another product, the user's attention is attracted on the fact that for that case the information can't be

printed08/04/2015 EN (English) 6/1