

100% synthetic lubricant*

*Minimum 76% of group III base oil

PERFORMANCES

Standards :

ACEA E6/E7
API CI-4/CH-4/CG-4/CF-4

Spécifications :

Renault Trucks RLD-2/RXD/RGD
Mercedes Benz 228.51
Mercedes Benz 226.9 (MTR)
MAN M3477 / M3271-1
VOLVO VDS-3
MTU Type 3.1
DAF meet Requirements
Deutz DQC-III-10 LA
Cummins CES 20076/77
MACK EO-N
JASO DH-2
CATERPILLAR ECF-1a
Scania Low Ash
ZF TE-ML 03A

ADVANTAGES

Developed on "Low SAPS" technology, which is essential to guarantee the life and efficiency of certain exhaust gas post-treatment systems fitted to the latest generation of engines meeting Euro VI standards and compatible with earlier engines (Euro IV - Euro V) (trucks and buses), **IGOL PRO 200X** also complies with the standards limiting pollutant emissions from public works equipment and agricultural machinery: Stage IIIA or Tier 3.

PRO 200X 10W-40 can be used to change the oil of Euro IV, V and VI industrial vehicles, whether or not they are equipped with exhaust gas treatment systems, in compliance with the recommendations and oil change intervals recommended by the manufacturers.

Technical data sheet



PHYSICO-CHEMICAL PROPERTIES

Characteristics	Standards	Units	Values
Density at 15°C	ASTM D4052	g/cm ³	0.862
Kinematic viscosity at 40°C	ASTM D7042	mm ² /s	106
Kinematic viscosity at 100°C	ASTM D7042	mm ² /s	15.3
Viscosity Index	ASTM D2270	-	158
Total Basic Number - TBN	ASTM D2896	mgKOH/g	≥ 10
Pour Point	ASTM D97	°C	- 35
Flash Point	ASTM D92	°C	>230

Note: Before use, always check the manufacturer's recommendations in the maintenance manual.

Characteristics are given for information only and correspond with our manufacturing standards. IGOL reserves the right to modify them to provide its customers with the benefits of technical progress. Before using this product read the instructions for use and the environmental impacts mentioned in the technical and safety data sheets. The information given above is based on the current level of knowledge relative to the product concerned. The product user should take all useful precautions relative to its use. IGOL can in no circumstances be held responsible for damage resulting from incorrect use.

Documentary reference : III-IGOL042-2201

Date of issue : 20/01/2022

Technical data sheet

