

**A dimethylpolysiloxane oil-based lubricant aerosol.  
Reserved for professional use**

#### ADVANTAGES

SILGLISS is a multi-purpose product. It acts as a mould release agent, glidant, lubricant, restorer, water repellent, dielectric and anti-static.

It does not dry out; it can withstand shearing and moisture.

It is non-corrosive, and has no effect on metals or plastics.

This silicone prevents adhesion by soiling, dust, water, etc.

#### PHYSICO-CHEMICAL CHARACTERISTICS OF ACTIVE INGREDIENT:

- Appearance: whitish cream
- Temperature resistance: -60 to + 230°C
- Non-inflammable propellant gas

#### USES

It ensures excellent mould release of injected metal parts, thermoformed parts and rubber, and brings out the beauty of moulded items: plastic, leather, leatherette, dashboards, etc.

It is also useful for lubricating seals, hinges, slides, locks and rubber parts on car doors.

It is recommended for inserting electrical wiring harnesses into sheaths.

#### INSTRUCTIONS FOR USE

Shake the aerosol can vigorously before use.

Spray at approximately 20 cm from the part to be treated.

Leave to dry for a few moments, and wipe down with a dry cloth for a more intense shine.

#### PACKAGING

- Box of 6 aerosol cans
- Nominal capacity: 650 ml -- Net volume: 400 ml
- Propellant gas: CO2

**The aerosol cans must be used within one year of delivery for optimum use; returns will not be accepted after this time.**

*The characteristics are given purely for information and are consistent with our current production standards. IGOL reserves the right to modify them, in order to pass on technical developments to its customers. Before using this product, you should consult the instructions for use and the environmental impact shown on the technical and safety data sheets. The information given above is based on the current state of our knowledge of the product in question. The product user should take all relevant precautions relating to its use. Under no circumstances may IGOL be held liable for damages resulting from misuse.*

Document ref.: XVII-30-A-1508

Published: 06/08/2015