



IGOL.

LUBRICANTS



A **PASSION** FOR
PERFORMANCE

**FARMING
TRANSPORT
CONSTRUCTION
RANGE**

WHO ARE WE?



1950



1970



1990



2000


MORE THAN 70 YEARS OF PASSION AND STILL GOING STRONG !

The IGOL brand was created when fifteen heads of independent producers and distributors of lubricants across France joined forces. Since then, the company has grown steadily and is now one of the leading independent manufacturer of lubricants.

Our perennial priorities have been: quality, innovation and close working relationships - all with a view to fostering an effective partnership with every customer.



Reims circuit - 1954



A PARTNER FOR PERFORMANCE

IGOL has always been involved in motor sports, competing at the highest levels. Rallying and motorcycle racing are embedded in the brand's DNA. Competitive racing provides an ideal and challenging proving ground for innovative lubricants. IGOL is proud to support the performance and achievements of its partners, by enabling them to exceed their expectations.



PACKAGING THAT MEETS YOUR NEEDS



AN EXPORT DEDICATED TEAM

IGOL INTENSIFIES ITS INTERNATIONAL PRESENCE !

For more than 70 years, IGOL has been designing, developing and manufacturing innovative, state-of-the-art products.

IGOL offers a wide range of lubricants for engines, transmissions and gearboxes, but also complementary products such as greases, coolants, aerosols, cleaning products and cosmetics for all sectors of activity (Automotive, Motorcycle, Agriculture, Industry...).

With a brand new plant based in the north of France, IGOL continues to invest in research and development and in its production facilities to offer you premium products and services.

FRENCH KNOW-HOW

IGOL exports its French know-how to many countries.

IGOL and its dedicated Export team can help you to grow your business by benefiting from a strong brand with a presence in many international motorsports competitions, state-of-the-art products tailored to your needs and your market, tailor-made marketing tools and actions.



DO YOU WANT TO BECOME A DISTRIBUTOR OF THE IGOL BRAND OR TO KNOW MORE ?

Please contact our dedicated export team !

By telephone: **+33 6 69 63 99 37**

By email: **export@igol.com**

OUR UNIVERSES



IGOL LUBRICANT	SAE	ACEA	API	ISO	IVECO	SCANIA	MAN	MERCEDES BENZ	VOLVO	RENAULT	CUMMINS	DEUTZ	MACK	MTU	CATERPILLAR	NEW HOLLAND	OTHER	TRANSPORT	FARMING	CONSTRUCTION
IGOL PRO 610 X	5W-30		FA-4 / SN	DH-2				MB 228.61	VDS-5 (SFU)	RLD-5 (SFU)	CES 20087						GLOBAL FH-2 DFS 93K223	✓		
IGOL PRO 550X	5W-30	E6/E9/E7/E4	CJ-4	DH-2	18-1804-TLS-E6 TBN >13	LDF-4	M 3477 M 3677 M 3775 M 3271-1	228.51 228.31	VDS-4	RLD-3	CES 20081	DQC IV-10 LA	EO-O Premium Plus	MTU Type 3.1	ECF-3 / ECF-2		DAF Detroit Diesel 93k218	✓		
IGOL PRO 500X	5W-30	E6/E9/E7	CK-4	DH-2		LDF-4	M 3477 M 3677 M 3775 M 3271-1	228.52 228.51 228.31	VDS-4.5	RLD-3	CES 20081 CES 20086	DQC IV-18 LA	EO-S-4.5	MTU Type 3.1	ECF-3 / ECF-2		Ford WSS-M2C213-A1 Detroit Diesel DDC 93K222 DAF Extended Drain	✓	✓	✓
IGOL PRO 450X	5W-40	E9	CK-4					228.31	VDS-4.5	RLD-3	CES 20081 CES 20086		EO-S-4.5	MTU Type 2.1	ECF-3 / ECF-2		Ford WSS-M2C171-F1 Detroit Diesel DDC 93K222	✓	✓	✓
IGOL PRO 450X FE	10W-30	E6/E9/E7	CK-4	DH-2		LowAsh	M 3677 M 3477	228.51	VDS-4.5	RLD-3	CES 20081 CES 20086	DQC IV-10 LA	EO-S-4.5	MTU Type 3.1	ECF-3 / ECF-2	CNH MAT 3521	DAF Extended Drain DDC 93K218	✓	✓	✓
IGOL PRO 450X	10W-40	E6/E9/E7	CK-4	DH-2		LowAsh	M 3477	228.51	VDS-4.5	RLD-3	CES 20081 CES 20086	DQC IV-10 LA	EO-S-4.5	MTU Type 3.1	ECF-3 / ECF-2		Detroit Diesel DDC 93K222	✓	✓	✓
	15W-40	E9	CK-4	DH-2			M 3575	228.31	VDS-4.5	RLD-3	CES 20081 CES 20086	DQC III-10 LA	EO-S-4.5	MTU Type 2.1	ECF-3 / ECF-2		Ford WSS-M2C171-F1 Detroit Diesel DDC 93K222	✓	✓	✓
IGOL PRO 400X	10W-30	E9/E7	CJ-4	DH-2			M 3575	228.31	VDS-4	RLD-3	CES 20081	DQC III-10 LA	EO-O Premium Plus		ECF-3 / ECF-2	CNH MAT 3521	Ford WSS-M2C171-F1 Detroit Diesel DDC 93K222	✓	✓	✓
	10W-40	E9/E7	CJ-4	DH-2			M 3775		VDS-4	RLD-3	CES 20081	DQC III-18 LA	EO-O Premium Plus	MTU Type 2.1	ECF-3 / ECF-2		Detroit Diesel DDC 93K222	✓	✓	✓
	15W-40	E9	CJ-4				M 3575	228.31	VDS-4	RLD-3	CES 20081	DQC III-10 LA	EO-O Premium Plus	MTU Type 2.1	ECF-3 / ECF-2			✓	✓	✓
IGOL PRO 200X	10W-40	E6/E7	CJ-4			Low Ash	M 3477 M 3271-1	228.51	VDS-3	RLD-2	CES 20076 CES 20077	DQC III-10 LA	EO-N	MTU Type 3.1	ECF-1A			✓	✓	✓
IGOL PRO 150X	5W-30	E4/E7	CI-4			LDF-3	M 3277	228.5	VDS-3	RLD-2	CES 20077	DQC IV-10	EO-N / EO-M Plus	MTU Type 3			VOITH CLASS A DAF Extended Drain Ford WSS-M2C213-A1	✓	✓	✓
IGOL PRO 140X	10W-40	E4/E7				LDF-3	M 3277	228.5	VDS-3	RLD-2	CES 20072	DQC III-10	EO-N / EO-M Plus	MTU Type 3			DAF EXTENDED DRAIN	✓	✓	✓
IGOL PRO 100X	10W-30	E7	CI-4				M 3275	228.3	VDS-3	RLD-2	CES 20077 CES 20078		EO-N / EO-M Plus	MTU Type 2	ECF-2 / ECF-1A		GLOBAL DHD-1	✓	✓	✓
	10W-40	E7	CI-4				M 3275	228.3	VDS-3	RLD-2	CES 20077 CES 20078	DQC III-10	EO-N / EO-M Plus	MTU Type 2	ECF-2 / ECF-1A		GLOBAL DHD-1 Detroit Diesel DDC 93K215	✓	✓	✓
	15W-40	E7	CI-4				M 3275	228.3	VDS-3	RLD-2	CES 20077 CES 20078	DQC III-10	EO-N / EO-M Plus	MTU Type 2	ECF-2 / ECF-1A	NH-330H	GLOBAL DHD-1 ALLISON TES 439	✓	✓	✓
IGOL PRO 7X	15W-40	level E5-E3	CH-4	DH-1			M 3275	228.3	VDS-2	RLD-2	CES 20076 CES 20077				ECF-2 / ECF-1A	NH-330H		✓	✓	✓
IGOL PRO 4X	15W-40	level E2	CG-4				M 271	228.1	VDS					MTU Type 1		NH-330 G		✓	✓	✓
IGOL PRO 4	15W-40	level E2	CF-4					227.1								NH-330 G		✓	✓	✓
IGOL PRO 4 MONO	10W /20W 30/40/50	level E2	CF-4														ZF TE-ML 03A	✓	✓	✓

GAS ENGINE RANGE

IGOL PRO MMX	10W-40	E6/E4/E7	CJ-4	DH-2	TBN>12	Low Ash	M 3477 M 3271-1	228.51	VDS-4 CNG	RLD-3	CES 20081	DQC IV-10 LA		MTU Type 3.1			
IGOL PRO HMGR	15W-40						M 3271-1	MB p.226.9	CNG		CES 20076/77						RVI: RGD
IGOL PRO HMGS	SAE 40	GE Jenbacher Type 2, Type 3, Type 4 (Versions A&B), Type 6 (Versions C&E) / GE Jenbacher Natural Gas (Class A), Biogas (Class B) / MWM - Natural Gas /										MAN M3271-2 / Rolls-Royce B35;40 / Rolls-Royce C36;33 / MWM - Biogas / Rolls-Royce K-G1/G2/G3/G4 / Wärtsilä SG34, SG50 / Cummins QSK 60					

IGOL LUBRICANT	THICKENER	NATURE OF BASE OIL	KINEMATIC VISCOSITY OF BASE OIL AT 40°C	COLOUR	GRADE	WELD-POINT TEST (KG)	WELD-POINT TEST (KG)	MIN. TEMPERATURE (°C)	MAX. TEMPERATURE (°C)
AUTOMOTIVE & INDUSTRY									
IGOL POLYSER	Li	Min.	130	Amber	2	non-EP	>190		140
IGOL ROULEMENT EP 0, 00, 000	Li	Min.	60	Amber	000 to 0	250	>160	-30	120
IGOL ROULEMENT EP 1, 2, 3	Li	Min.	130	Amber	1 to 3	250	>180	-20	130
IGOL ROULEMENT BIMO EP	Li	Min.	130	Grey	2	>280	>190	-30	140
IGOL SHP 50	Li/Ca	Min.	310	Green	2	>315	> 80	-20	140
IGOL SELLETES	Li/Ca	Min.	> 900	Black	2	>500	>170	-20	140
IGOL GREASE BRH	Li/Ca	Min.	310	Grey	2	500	>180	-30	140
IGOL PERFECT PLUS	Li/Ca	Min.	140	Green	2	>280	>180	-20	140
IGOL PREMIUM GREASE	Li complex (3S)	Min.	100	Green	2	>315	>250	-20	180
IGOL RALLYE GREASE	Li complex (2S)	Min.	200	Blue	2	>250	>230	-20	160
BIODEGRADABLE (as per standards OECD 301B or CEC-L-33-T82, see datasheet for details and values)									
IGOL PROBEOL GREASE G 000	Inorganic	Ester	46	Colourless	000	>200	none	-25	
IGOL PROBEOL GREASE SHP 50	Li/Ca	Ester	140	Amber	2	>400	>160	-18	145
MAINTENANCE PASTES									
IGOL PÂTE AS 450	Li			Blue-grey	2		none	-25	400
IGOL PÂTE THERMO CONTACT	Li	Min.	130	Aluminium	1		>180	-20	600
IGOL PÂTE TE 1000	Li	Min.	120	Aluminium	1		>180	-30	1100



IGOL LUBRICANT	SAE	ACEA	API	ISO	CATERPILLAR	ALLISON	JOHN DEERE	MASSEY FERGUSON	FORD	ZF TE-ML	OTHER
MULTI-PURPOSE											
IGOL PRO MULTI SUPER	10W-30 10W-40	E2-96 Issue 5 E7/08	CF-4 SF/CE CI-4 GL-4 GL-5		TO-2 (Transmission)	C4 (Transmission)	JDM J27 (Multi-purpose)	CMS M1139/M1145 (M1144) (Multi-purpose)	ESN-M2C-159B Use for CNH (Multi-purpose)	06B (covers 06C/ 06Q/06R) 06D (Eccom) 06F (S-Matic) 07B (Transmissions)	MAN 271 (Engine) MIL-L-2104D (Engine)
IGOL PRO MULTI	15W-30 15W-40		CD/SF GL-4	ISO-L-HV (68)				CMS M1139 (engine & transmissions)	ESN-M2C-159A (engine & transmissions)		MIL-L-2104D/ MIL-L-46152B (Engine) MIL-L-2105 (Transmissions)

IGOL LUBRICANT	SAE	API	ISO	CATERPILLAR	ALLISON	KUBOTA	VOLVO	JOHN DEERE	MASSEY FERGUSON	FORD	CNH MAT	CASE	ZF TE-ML	OTHER
TRANSMISSIONS														
IGOL TICMA FLUID PRO	80W	GL-4	ISO-L-HV (46-68)	TO-2	C4	SUPER UDT SUPER UDT LF	CE WB 101	JDM J20C JDM J20D	CMS M1135/ M1141 CMS M1143/ M1145	ESN-M2C-86B & C	CNH MAT 3505 CNH MAT 3525 (FNHA-201.00 = M2C 134D) CNH MAT 3526 (FNHA 2-C- 200.00) CNH MAT 3510 (MS 1317= API GL-4)	MS 1207 MS 1209 MS 1210	03E / 05F / 06K / 17E	
IGOL TICMA FLUID XT	80W	GL-4					CE WB 101	JDM J20C	CMS M1143/ M1145		CNH MAT 3505/3525		03E / 05F / 17E	VALTRA G2-08 / G2-B10
IGOL TICMA FLUID XT XTREM	80W	GL-4		TO-2	C4		CE WB 101	JDM J20C JDM J20D	CMS M1143/ M1145	ESN-M2C-86C ESN-M2C-134D FNHA-2-200.00/ 201.00	CNH MAT 3540/3525	MS 1210	03E / 05F / 06K / 17E / 21F	VALTRA G2-08 / G2-B10 CLAAS CVT
IGOL TICMA FLUID MU	80W	GL-4 +	ISO-L-HV (46-68)					JDM J20C JDM J20D	CMS M1135/ 1141 CMS 1143	ESN-M2C-86C ESN-M2C-134D				
IGOL TICMA FLUID MU XTREM	10W-30	GL-4	ISO-L-HV (46-68)	TO-2	C4		CE WB 101	JDM J20C JDM J20D	CMS M1135/ 1141 CMS M1143/1145	ESN-M2C-86B & C	CNH MAT 3505 CNH MAT 3525 (FNHA-201.00 = M2C 134D) CNH MAT 3526 (FNHA 2-C- 200.00) CNH MAT 3510 (MS 1317= API GL-4)		03E / 05F / 06K / 17E	
IGOL TICMA FLUID HB XTREM	80W	GL-4 +										CASE IH B6 MS 1207 MS 1209 MS 1210		
IGOL TICMA FLUID RF	80W	GL-4 +							M1135	ESN M2C86-B				VALMET RENAULT-FIAT
IGOL TICMA FLUID V	80W						CE WB 102							
IGOL TICMA FLUID T04	10W 30 50			TO-4	C4									

IGOL LUBRICANT	SAE	DIN	ISO	NF E	CATERPILLAR	ALLISON	OTHER
HYDRAULIC SYSTEMS							
IGOL TICMA FLUID HV 15 22 32 46 68 100		51524 Part 3 HLVP-15 22 32 46 68 100	ISO 11158 Cat. HV ISO-L-HV 15 22 32 46 68 100	48-603			DENISON HFO (T6C-020 pump)
IGOL TICMA FLUID HVI 13 26			NF EN ISO 6743-4				
IGOL TICMA FLUID LP 20		51524 Part 3 HLVP-46	ISO 11158 Cat. HV 46				

IGOL LUBRICANT	SAE	API	MIL	MAN	ZF TE-ML	SCANIA	MERCEDES-BENZ	VOLVO	MACK	ARVIN MERITOR	FORD	OTHER
----------------	-----	-----	-----	-----	----------	--------	---------------	-------	------	---------------	------	-------

GEARBOXES

TRANS GEAR MBT	75W-90	GL-4		341 Type MB	08		235.11				
TRANS GEAR ZF PLUS	75W-80	GL-4	MIL-PRF-2105 E	341 Type Z4 341 Type E3	02B/05B/12L/12N/16 F 17B/19C/21B			97312 SAE J 2360			
ZF ECOFLUID M	75W-80			MAN 341 Type Z-5	01E/02E/16P						

GEARBOXES AND AXLES

GEAR S	80W-90	GL-5		342 Type M-2		STO 1:0						
	85W-140	GL-5				STO 1:0	235.8					
GEAR SYNTH	75W-90	GL-4 GL-5		3343 S	02B/05B/12B/16F/17 B 19C/21B	STO 1:0		97312				
HERITAGE GRAMO B	80W-90	GL-5	MIL-L-2105 D									
HYPOID B	80W-90	GL-5	MIL-PRF-2105 D	342 Type M1 & M2	05A/07A/08/12A/16 B 16C/17B/19B/21A							
	85W-90	GL-5	MIL-PRF-2105 D	342 Type M1	07A/16B/16D 16C/17B/19B/21A		235.0	97310 97316				DAF RENAULT VOITH 3. 325-339
	85W-140	GL-5	MIL-PRF-2105 D		07A/08/12E/16C 16D/21A			1273.10				
SYNTHEGEAR	75W-90 75W-110	GL-4 GL-5 MT-1	MIL-PRF-2105 E	3343 S / 341 Typ E-3 341 Typ Z2 / 342 Typ S1 342 M3	02B/05B/12L/12N/16 F 17B/19C/21B	STO 1:0	235.8	97312 SAE J 2360	GO-J	0-76-N		DAF IVECO
SYNTHEGEAR LS	75W-90	GL-4 GL-5 MT-1	MIL-L-2105D MIL- PRF- 2105E	3343 Type S / MAN 341 Type E3 / Z2 / MAN 342 M3	02B/05B/12L/12N/16 F 17B/19C/21B	STO 1:0	235.8	97312 SAE J 2360	GO-J	0-76-N		DAF IVECO
	75W-140	GL-4 GL-5 LS			05B/12B	STO 1:0					M2C-192-A	GM 12346140
TRANS EPA	80W-90	GL-4			02B/17A		235.1					

AXLES

HYPOID BPA	90	GL-5 LS	MIL-L-2105 D	342 Type M1	05C/07A/12C/16B/16C/16D/16E/17B/19B/21A/21C		235.0	97310 97316				DAF VOITH 3.325-339
	140	GL-5 LS	MIL-L-2105 D	342 Type M1	07A/16B/16C/16D 17B/19B/21A		235.0	97310 97316				
LONG GEAR	80W-90	GL-5 MT-1	MIL-PRF-2105E SAE J 2360	342 Type M3	05A/05B/07A/08/12 B 12E/16B/16C/16D/1	STO 1:0	235.20					
IGOL R	90											Rear worm-drive axles with a bronze crown wheel

RANGE

[illegible]



For more information about
IGOL scan this QR code with
your smartphone

IGOL.
LUBRICANTS

IGOL FRANCE

614, rue de Cagny - CS 19403
80094 AMIENS CEDEX 3 - FRANCE
T.+33 3 22 50 22 22