

Ultra High Performance Truck (UHPD) Low SAPS engine lubricant

PERFORMANCES

Standards / Specification OEM

ACEA E8, E11, E7	SCANIA Low Ash
API CK-4	Mack EO-S-4.5*
Renault Trucks RLD-3*	Cummins CES 20086/81
Daimler MB 228.31 - 228.51* - 228.52*	Deutz DQC IV-18 LA
Daimler DTFR 15C100 - 15C110* - 15C120*	Detroit Diesel DDC93K222
MAN M3477, M3775	Caterpillar ECF-3
MTU Type 3.1	JASO DH-2
Volvo VDS-4.5*	Voith Class B

* **Approved quality or in the process of being approved.**
Recommended under the manufacturer's warranty

ADVANTAGES

Resulting from the know-how of our R&D laboratory, **IGOL PRO 450X EVO** is a high-performance lubricant specially adapted to the latest generation of heavy-duty diesel engines equipped with after-treatment systems (DPF-SCR-EGR-Ad Blue) and able to reach the maximum oil change intervals recommended by the manufacturers

- ✓ **Low Ash** formulation for protection against particulate filter clogging.
- ✓ Compatible with recent anti-pollution standards: **Euro VI - TIER 5 - Stage V**
- ✓ Ideal for **rationalization** in the case of a multi-brand fleet.
- ✓ Optimizes engine cleanliness.
- ✓ Reduces deposit formation on pistons.
- ✓ Increased shear stability, **HTHS measurement above 3.5 mPaS**

Technical data sheet



PHYSICO-CHEMICAL PROPERTIES

Characteristics	Standards	Units	Values
Density at 20°C	ASTM D4052	g/cm ³	0.860
Viscosity at 40°C	ASTM D7042	mm ² /s	97.3
Viscosity at 100°C	ASTM D7042	mm ² /s	14.3
HTHS viscosity	ASTM D4683	mPa s	3.96
Viscosity index	ASTM D2270	-	152
Pour point	ASTM D97 B	°C	-43
CCS at -25°C	ASTM D5293-20	mPa.s	6144
COC flash point	ASTM D92	°C	225
TBN (Alkalinity reserve)	ASTM D2896	Mg KOH/g	10.8

IGOL PRO 450X EVO is miscible with most conventional oils but to ensure its performance level it is recommended that a complete oil change be carried out.

Note: Before use, always check the manufacturer's recommendations

Characteristics are given for information only and correspond with our manufacturing standards. IGOL reserves the right to modify them to provide its customers with the benefits of technical progress. Before using this product read the instructions for use and the environmental impacts mentioned in the technical and safety data sheets. The information given above is based on the current level of knowledge relative to the product concerned. The product user should take all useful precautions relative to its use. IGOL can in no circumstances be held responsible for damage resulting from incorrect use.

Documentary reference : III-IGOL052-2306
Date of issue : 08/06/2023

Technical data sheet

