







WHO ARE WE?











1950

1970

DACCION

MORE THAN 75 YEARS OF PASSION AND STILL GOING STRONG!

The IGOL brand was created when fifteen heads of independent producers and distributors of lubricants across France joined forces. Since then, the company has grown steadily and is now one of the leading independent manufacturer of lubricants.

Our perennial priorities have been: quality, innovation and close working relationships - all with a view to fostering an effective partnership with every customer

A PARTNER FOR PERFORMANCE



IGOL has always been involved in motor sports, competing at the highest levels. Rallying and motorcycle racing are embedded in the brand's DNA. Competitive racing provides an ideal and challenging proving ground for innovative lubricants. IGOL is proud to support the performance and achievements of its partners, by enabling them to exceed their expectations.





DEDICATED EXPORT TEAM

IGOL INTENSIFIES ITS INTERNATIONAL PRESENCE!

For more than 75 years, IGOL has been designing, developing and manufacturing innovative, state-of-the-art products.

IGOL offers a wide range of lubricants for engines, transmissions and gearboxes, but also complementary products such as greases, coolants, aerosols, cleaning products and cosmetics for all sectors of activity (Automotive, Motorcycle, Farmingculture, Industry...).

With a brand new plant based in the north of France, IGOL continues to invest in research and development and in its production facilities to offer you premium products and services.



IGOL exports its French know-how to many countries.

IGOL and its dedicated Export team can help you to grow your business by benefiting from a strong brand with a presence in many international motorsports competitions, state-of-the-art products tailored to your needs and your market, tailor-made marketing tools and actions.



DO YOU WANT TO BECOME A DISTRIBUTOR OF THE IGOL BRAND OR TO KNOW MORE?

Please contact our Dedicated export team!

By telephone: +33 6 69 63 99 37

By email: export@igol.com

OUR RANGES



Top-end lubricants that preserve OEM warranties and meet the latest ACEA standards.



Lubricants specially developed for competition.



Lubricants whose properties meet manufacturers' recommendations.



IGOL know-how applied to lubricants for older vehicles.





APPROVED OEM WARRANTY



Modern vehicles need engine lubricants that satisfy the approval criteria set by manufacturers, but which above all maintain and even improve engine performance and lifespan.

With its PROFIVE range, IGOL caters perfectly to these requirements. Our R&D department finds technical solutions that meet the most challenging demands imposed by manufacturers - this is particularly true for the cutting-edge industrial technology applied by this department to develop the complex formulations found in our PROFIVE range. Keep a step ahead with PROFIVE.

IGOL PRODUCT

VISCOSITY

ACEA/API

SPECIFICATIONS & TECHNOLOGY

PROFIVE LOW SAPS and MIDS SAPS RANGE

PROFIVE ULTRA TECH FE	0W-20	ACEA C5, C6 API SP API SQ-RC ILSAC GF-7A	100% synthetic lubricant. MB-Approval 229.72 BMW LL-17 FE+ - Ford WSS-M2C954-A1 FIAT 9.55535-GSX - Chrysler MS-12145
IGOL PROFIVE 2010	0W-20	ACEA C5, C6 API SP SN PLUS	100% synthetic lubricant. PSA B71 2010
IGOL PROFIVE PREMIUM TECH FE	0W-20	ACEA C5, C6 API SP SN PLUS	100% synthetic lubricant. MB-Approval 229.71 Jaguar/Land Rover STJLR.03.5006 Fiat 9.55535-DSX - FORD WSS M2C952 A1 OPEL OV 0401547-A20 - GM Dexos D
IGOL PROFIVE 508/509	0W-20	ACEA C5	100% synthetic lubricant. VW 508.00/509.00 - FORD WSS M2C 956 A1 PORSCHE C20
IGOL PROFIVE RN 17 FE	0W-20	ACEA C5	100% synthetic lubricant. Renault RN 17 FE
IGOL PROFIVE VCC	0W-20	ACEA C5	100% synthetic lubricant. VOLVO VCC RBS0 2AE





IGOL PROFIVE HYBRID	0W-8	ACFA A5/B5 A1/B1	100% synthetic lubricant. JASO GLV-1 100% synthetic lubricant.
PROFIVE FULL SAPS RANGE			1000% aveals ation believes
IGOL PROFIVE DIAMANT	5W-40	ACEA C3 API SN/SM/CF	100% synthetic lubricant. MB 229.51 - MB 229.31/226.5 BMW LL 04 LL 01 - PORSCHE A40 - GM Dexos2 RN0700/0710 - FORD WSS-M2C-917A FIAT 9.55535.S2 - VW 502.00/505.00/505.01
IGOL PROFIVE SAPHIR	5W-30	ACEA C1, C2	100% synthetic lubricant. FORD WSS M2C934B JAGUAR / LAND ROVER STJR.03.5005
IGOL PROFIVE C4	5W-30	ACEA C3, C4	100% synthetic lubricant. RENAULT RN0720 - MB 226.51/226.52
IGOL PROFIVE RN 17	5W-30	ACEA C2, C3 API SP	100% synthetic lubricant. RENAULT RN 17 - RN 0700/0710 MB 229.31 MB 229.5/229.52 MB 226.52 - FIAT 9.55535.S1
IGOL PROFIVE 2290	5W-30	ACEA C2, C3 API SP	100% synthetic lubricant. PSA B71 2290 - Fiat 9.55535.S1 - MB 229.31 MB 229.51/229.52 - MB 226.52
IGOL PROFIVE FPW03	5W-30	ACEA C3 API SP	100% synthetic lubricant. STELLANTIS FPW9.55535/03 STELLANTIS B71
IGOL PROFIVE D1 G2	5W-30	API SP SN PLUS RC ILSAC GF-6A	100% synthetic lubricant. Dexos 1 Gen 2 OV 0401547-G30 Ford WSS-M2C-946-A - Chrysler MS 6395
IGOL PROFIVE HI TECH	5W-30	ACEA C3 API SN	100% synthetic lubricant. MB-Approval 229.51 BMW LL-04 - GM/OPEL OV 040 1547 D-30 GM DEXOS 2 - VW 505.00/505.01
IGOL PROFIVE Premium tech	5W-30	ACEA C3 API SN	100% synthetic lubricant. MB-Approval 229.51 BMW LL-04 - PORSCHE C30 - VW 504.00/ 507.00 GM/OPEL OV 040 1547 D-30 OV 040 1547 G30
IGOL PROFIVE F948	5W-20	ACEA C5 API SP	100% synthetic lubricant. FORD WSS-M2C948-B
IGOL PROFIVE CRYSTAL	0W-30	ACEA C2	100% synthetic lubricant. Peugeot/Citroën - Automobiles B71 2312 FIAT 9.55535-GS1& FIAT 9.55535-DS1
IGOL PROFIVE F950	0W-30	ACEA C2	100% synthetic lubricant. Ford WSS-M2C950-A - Fiat 9.55535-GS1 Fiat 9.55535-DS1 - STJLR.03.5007
IGOL PROFIVE Premium tech	0W-30	ACEA C3	100% synthetic lubricant. BMW LL-04 - BMW LL-19 FE VW 504.00 VW 507.00 - PORSCHE C30

IGOL PROFIVE HYBRID	0W-8		100% synthetic lubricant. JASO GLV-1
IGOL PROFIVE F913	5W-30	ACEA A5/B5 A1/B1 API SL/CF	100% synthetic lubricant. FORD WSS-M2C913-D - RENAULT RN 0700
IGOL SYMBOL CERAMIC	5W-40	ACEA A3/B4 API SN	100% synthetic lubricant. Renault RN 700/0710 - MB 226.5 / 229.5 OPEL GM -LL-B-025 - VW 502.00/505.00 Porsche A40 - FIAT 9.55535.M2 - PSA B71 2296 BMW LL-01 and LL-98 - CHRYSLER MS 12991
IGOL PROFIVE B4R	10W-40	ACEA A3/B4 API SN	Semi-synthetic lubricant. RN 0700/0710 - VW 502.00/505.00 MB 229.3 - PSA B71 2300









With more than 75 years of experience and innovation under its belt, IGOL caters for all requirements and applications. It is the leading French independent producer and OEM have recognised the quality of IGOL's lubricants by designating them as "approved" products in terms of maintaining OEM warranties. The PROCESS range is an example of this quality.

You can rely on IGOL's experience and know-how to protect your engine and maximise your equipment's lifespan and performance, even under extreme conditions, thanks to the high levels of protection and reliability offered by the lubricants.


IGOL PRODUCT	VISCOSITY	ACEA/API	SPECIFICATIONS & TECHNOLOGY
PROCESS MID & LOW SAPS	RANGE		•
IGOL PROCESS C2	0W-30	ACEA C2 API SP	100% synthetic lubricant.
IGOL PROCESS RUBIS C2, C3	5W-30	ACEA C2, C3 API SN ISLAC GF-5	100% synthetic lubricant. MB 229.51/229.52 - BMW LL-04 VW 504 00 / VW 507 00 - IVECO 18 1811 SC1 GM DEXOS 2 - OPEL OV 040 1547 D30
IGOL PROCESS C3	5W-30	ACEA C3 API SP/SN	100% synthetic lubricant. MB 229.31 - MB 229.51/229.52 VW 502.00/505.0 - BMW LL-04/LL-01/LL-98 GM DEXOS 2
IGOL PROCESS C3	5W-40	ACEA C3 API SP/SN	100% synthetic lubricant. MB 229.31 - MB 229.51/229.52 VW 502.00/505.0 - BMW LL-04/LL-01/LL-98 GM DEXOS 2





GAMME PROCESS FULL SAPS RANGE

IGOL PROCESS HYBRID FE	0W-16	API SP/SN RC	100% synthetic lubricant. Hybrid engines TOYOTA, HONDA, SUZUKI
IGOL PROCESS HYBRID	0W-20	API SP/SN ILSAC GF-6A	100% synthetic lubricant. Hybride essence TOYOTA, HONDA, SUZUKI GM/OPEL Dexos 1 Gen 3 FORD WSS-M2C961-A1
IGOL PROCESS V	0W-30	ACEA A5/B5 API SN	100% synthetic lubricant. Volvo 95200377
IGOL PROCESS A5/B5	5W-30	ACEA A5/B5 ACEA A1/B1	100% synthetic lubricant. Renault RN 0700 - MB 229.1
IGOL PROCESS S	5W-40	ACEA A3/B4 API SN/CF	100% synthetic lubricant. MB 229.1 - Renault RN0700
IGOL PROCESS B4	10W-40	ACEA A3/B4 API SL/CF	Semi-synthetic lubricant. MB 229.1
IGOL PROCESS GS	15W-40	ACEA A3 / B3 API SJ/CF	Mineral lubricant.
IGOL PROCESS GS	20W-50	ACEA A3 / B3 API SJ/CF	Mineral lubricant.









THE NEW RANGE OF LUBRICANTS DEDICATED TO MOTOR RACING

The product of years of experience on rally cars and tested under the most extreme conditions, this new range of IGOL RACE FACTORY lubricants have been developed to cater for the ultra-high performance of sports cars, supercars, racing cars and muscle cars.

IGOL PRODUCT	VISCOSITY	ACEA/API	SPECIFICATIONS & TECHNOLOGY
IGOL RACE FACTORY COMPÉTITION	10W-60	ACEA A3/B4 API SP	100% synthetic lubricant ESTER & PAO. Suitable for some BMW, PORSCHE, etc. engines.
IGOL RACE FACTORY 0101	10W-50	ACEA C3	100% synthetic lubricant ESTER & PAO. Meets the Abarth 0101 standard.
IGOL RACE FACTORY RALLYE	5W-50	ACEA A3/B4 API SN	100% synthetic lubricant ESTER & PAO.
IGOL RACE FACTORY GT SPORT	5W-40	ACEA C3 API SP	100% synthetic lubricant ESTER & PAO.
IGOL RACE FACTORY GT POWER	5W-30	ACEA C3 API SP	100% synthetic lubricant ESTER & PAO.
IGOL RACE FACTORY RACING	0W-40	ACEA A3/B4 API SN	100% synthetic lubricant ESTER & PAO. Renault RN 0700 RN 0710 - Ford WSS M2C 937-A MB 229.3 et MB 229.5 - VW 502.00 VW 505.00 Porsche A40










MULTIGRADE LUBRICANTS FOR VINTAGE AND COLLECTOR CARS

For more than 75 years, the IGOL brand has been synonymous with safety and peace of mind. The HERITAGE range of lubricants gathers together the quintessence of these years of technical research and experience to protect and enhance the performance of these engines. IGOL's HERITAGE range provides a modern lubrication solution that meets the demanding requirements of enthusiasts for their vintage, classic and young timer cars.

IGOL PRODUCT	VISCOSITY	ACEA/API	SPECIFICATIONS & TECHNOLOGY
IGOL HÉRITAGE ZS	15W-50	ACEA A3/B3 API SL/CF	Semi-synthetic lubricant. MB 229.1 - VW 501.01/505.00
IGOL HÉRITAGE GTZ	20W-50	API SF/CF	Mineral lubricant
IGOL HÉRITAGE Sport	SAE 30 SAE 40 SAE 50	API SE/CC	Mineral lubricant







TRANSMISSION, GEARBOX & AXLE

IGOL PRODUCT	SPECIFICATIONS & TECHNOLOGY
GEARBOXES	
IGOL GEAR FLUID FE Viscosity : 75W API GL4	100% synthetic lubricant for manual gearboxes. Conforms with the following specifications: VW 052 178/ 052 512/ 070 726/ 052 527/ 070 726 - Nissan LVMT1 75W BMW 8322 2409 710/ 8322 0 397 244/ 8322 0 306 816/ DTF 1 (83 22 2 409 710) Fiat 9 - 55550 MZ6 75W - WSS-M2C 200-D2
IGOL PREMIUM GEAR+ Viscosity : 75W-80 API GL4 / GL4+	Semi-synthetic lubricant for manual gearboxes. Conforms with the following specifications: Mini - Mercedes - Smart - Alfa Roméo - Fiat - Volvo - Honda - Rover - Citroën - Peugeot - Dacia - Renault - Seat - Skoda - ZF TE-ML 02A/06L/17A
GEARBOXES AND AXLE	
IGOL RALLYE GEAR 75W-80 API GL 4 / GL 5 75W-90 API GL 4 / GL 5 / GL5 LS 80W-140 API GL 4 / GL 5 & GL5 LS	Semi-synthetic lubricant for manual gearboxes and axles. Developed to meet the requirements of the T.D.L. concept (Total Drive Line). Grade 75W-80: for manual gearboxes. Grade 75W-90: for manual gearboxes and all transfer gearboxes, including limited-slip positraction differentials. Grade 80W-140: for all axles, particularly limited-slip axles, subject to heavy loading.
AUTOMATIC TRANSMISSION	
IGOL ATF MULTI FE ULV	100% synthetic lubricant for automatic gearboxes. FORD MERCRON ULV / M2C949-A GM - DEXRON ULV AISIN WARNER AW-2 (EAT 8 PSA) - SFU MB 236.15 / 236.17 7G/9G TRONIC VW 053 001

IGOL ATF MULTI FE ULV	100% synthetic lubricant for automatic gearboxes. FORD MERCRON ULV / M2C949-A GM - DEXRON ULV AISIN WARNER AW-2 (EAT 8 PSA) - SFU MB 236.15 / 236.17 7G/9G TRONIC VW 053 001
IGOL ATF MULTI FE	100% synthetic «Fuel Economy» fluid for automatic gearboxes and power steering systems. FORD MERCON LV - GM DEXRON VI - AISIN WARNER AW-1 MB 236.14 / VW 055 525 / 060 726 052 512 / 060 162 ZF LIFEGUARD 6-7-8-9
IGOL ATF MULTI	100% synthetic, high viscosity, multi-vehicle fluid for automatic transmissions, power steering and hydraulic systems. AISIN WARNER JWS 3309 - ELF MATIC J46 - ESSO LT 71141 FIAT 9.55550-AG1 et 9.55550-AG2 - GM DEXRON II-D , III-G and III-H MITSUBISHI DIAQUEEN SP et SP-II - PSA AL-4 (PSA 9736 22) / B71 2340 TOYOTA T; T-II; T-III & T-IV



IGOL ATF CVT	100% synthetic lubricant for automatic CVT transmissions. FORD WSS-M2C928-A GM DEXRON CVT HYUNDAI CVT-J1 MB 236.20 NISSAN CVT NS-1 / NS-2 / NS-3 VW/AUDI MULTITRONIC - VW 052 180 / 02 516
IGOL DCT GEAR	100% synthetic fluid for multi manufacturer dual clutch gearboxes. BMW LT-5 / DCTF-1+ / DCTF-2 GM DEXRON DCT MB 236.21 / 236.22 / 236.25 / 239.21 / 239.22 PSA 9734.S2 RENAULT DW5 / DW6 VW BOITE DSG et S.TRONIC - VW 052 182 / 052 529 / 055 512 / 055 549
IGOL ATF TYPE 33	Minéral lubricant for transmissions, specially formulated for automatic gearboxes equipped with a torque converter.

All manufacturer specifications are available on the technical sheet on igol.com.





