



# IGOL.

*LUBRICANTS*



A **PASSION** FOR  
**PERFORMANCE**

**PROPULS  
RANGE**  
2 WHEELS

## WHO ARE WE?



1950



1970



1990



2000



## MORE THAN 75 YEARS OF PASSION AND STILL GOING STRONG !

The IGOL brand was created when fifteen heads of independent producers and distributors of lubricants across France joined forces. Since then, the company has grown steadily and is now one of the leading independent manufacturer of lubricants.

Our perennial priorities have been: quality, innovation and close working relationships - all with a view to fostering an effective partnership with every customer.

## A PARTNER FOR PERFORMANCE

IGOL tests its products under the most demanding conditions - on race tracks. IGOL products are performance tested during motocross or endurance events, notably the iconic LE MANS 24H MOTO and the BOL D'OR.



## PACKAGING THAT MEETS YOUR NEEDS



## PROPULS



## DEDICATED EXPORT TEAM

### IGOL INTENSIFIES ITS INTERNATIONAL PRESENCE !

For more than 75 years, IGOL has been designing, developing and manufacturing innovative, state-of-the-art products.

IGOL offers a wide range of lubricants for engines, transmissions and gearboxes, but also complementary products such as greases, coolants, aerosols, cleaning products and cosmetics for all sectors of activity (Automotive, Motorcycle, Agriculture, Industry...).

With a brand new plant based in the north of France, IGOL continues to invest in research and development and in its production facilities to offer you premium products and services.

### FRENCH KNOW-HOW

IGOL exports its French know-how to many countries.

IGOL and its dedicated Export team can help you to grow your business by benefiting from a strong brand with a presence in many international motorsports competitions, state-of-the-art products tailored to your needs and your market, tailor-made marketing tools and actions.



### DO YOU WANT TO BECOME A DISTRIBUTOR OF THE IGOL BRAND OR TO KNOW MORE ?


Please contact our dedicated export team !

► By telephone: **+33 6 69 63 99 37**


► By email: **export@igol.com**

### THEY PLACED THEIR TRUST IN US


CHARLIE HERBST



IGOL CONTINENTAL CUP



TEAM 18  
SAPEURS-POMPIERS





## 4-STROKE MOTORCYCLE ENGINE



### ◀ EVOLUTION 4T

API SM - JASO MA2 - API SL FOR 15W-50 GRADE  
SEMI-SYNTHETIC ESTER TECHNOLOGY LUBRICANT  
Grades 10W-30 / 10W-40 / 15W-50

**A very high-performance semi-synthetic lubricant for 4-stroke engines and gearboxes for motorbikes and quad bikes.**

Lubricant particularly well-suited to urban riding and touring. Grade 10W-30 is particularly recommended by HONDA; grade 10W-40 by YAMAHA, KAWASAKI and SUZUKI (suitable for quad bikes with medium-to high-sized engines); and grade 15W-50 by BMW, DUCATTI, YAMAHA and KAWASAKI.

Licence JASO MA2 n°M033IGL100 for 10W-30 grade and n°M033IGL101 for 10W-40 grade.



### ◀ PERFORMANCE 4T

API SN - JASO MA2  
100% SYNTHETIC, PAO & ESTER TECHNOLOGY LUBRICANT

Grades 5W-40 / 10W-40 / 10W-50  
10W-60 / 15W-50 / 20W-50

**100% synthetic lubricant for 4-stroke engines and gearboxes powering very high-performance racing motorbikes.**

Range designed to meet demanding conditions of use (sports, adventure, etc.).

Licence JASO MA2  
n°M033IGL102 for 5W-40 grade,  
n°M033IGL103 for 10W-40 grade,  
n°M033IGL104 for 10W-50 grade,  
n°M033IGL106 for 15W-50 grade,  
n°M033IGL105 for 10W-60 grade  
and n°M033IGL107 for 20W-50 grade.



### ◀ URBAN POWER 4T

API SN - JASO MA2  
SYNTHETIC LUBRICANT

Grades 10W-30 / 10W-40 / 10W-50

**Fully synthetic lubricant for 4-stroke engines and gearboxes of very high performance competition bikes.**

This formulation from IGOL's R&D laboratory ensures the product PROPULS URBAN POWER 4T 10W 30 optimal protection.



### COMPETITION 4T

100% SYNTHETIC,  
PAO & ESTER TECHNOLOGY LUBRICANT  
Grade 15W-60

**100% synthetic Double Ester technology lubricant, specially developed for off-road racing.**

This formulation, developed by IGOL's R&D laboratory in off-road endurance racing, ensures that PROPULS COMPETITION 4T 15W-60 provides optimum protection for the oil bath clutch and engine under the most extreme shear stresses encountered in the CFS Championnat de France de courses sur Sable events.



### ◀ COMPETITION HRC 4T

API SN - JASO T903  
100% SYNTHETIC, PAO & ESTER TECHNOLOGY LUBRICANT  
Grade 0W-30

**100% synthetic lubricant, specially developed for racing and compatible with the HONDA HRC KIT for the HONDA CBR 1000 RR R.**



### ◀ VINTAGE 4T

API SL - JASO MA2 Grade 20W-50

**Mineral oil specially formulated for 4-stroke motorbikes and scooters.**

Compatible with oil-bath (wet) clutches. Primarily recommended for HARLEY-DAVIDSONs with a service interval of 4,000 km and more generally for any VINTAGE or CUSTOM bike for which a mineral rather than a synthetic oil is preferred.



## 4-STROKE SCOOTER ENGINE

**IGOL.**  
LUBRICANTS

### ◀ SCOOT EVOLUTION 4T

SEMI-SYNTHETIC ESTER TECHNOLOGY LUBRICANT

Grades 10W-30 / 10W-40

**A very high-performance, semi-synthetic lubricant for 4-stroke scooter engines**

Lubricant particularly well-suited to urban driving, with frequent stops and starts. Grade 10W-30 is particularly recommended by HONDA; and grade 10W-40 by YAMAHA, KAWASAKI and SUZUKI.

Licence JASO MB n°M033IGL202 for 5W-40 grade, n°M033IGL200 for 10W-30 grade and n°M033IGL201 for 10W-40 grade



### ◀ SCOOT PERFORMANCE 4T

API SN - JASO MB

100% SYNTHETIC, PAO & ESTER TECHNOLOGY LUBRICANT

Grade 5W-40

**A 100% synthetic lubricant for 4-stroke scooter and maxi-scooter engines.**

Licence JASO MB n°M033IGL202.



### ◀ SCOOT FE 4T - FUEL ECO

API SN - JASO MB

LUBRIFIANT 100% SYNTHÈSE  
ESTER TECHNOLOGIE

Grade 0W-30

**Lubrifiant 100% synthèse pour moteurs 4 temps des Scooters.**

Cette formulation pour les scooters de dernières générations répondant à la norme JASO MB et particulièrement adaptée pour les moteurs de fortes cylindrées et les démarrages fréquents.

### EVOLUTION 2T ▶

API TA / TB / TC - JASO FC  
SEMI-SYNTHETIC LUBRICANT

SCENT  
BUBBLE  
GUM\*



**A semi-synthetic lubricant for 2-stroke motorbike and scooter engines.**

This bubble gum-scented formulation helps to keep the engine clean by preventing segment sticking and deposits forming on the piston, spark plug and exhaust. The additives in the PROPULS EVOLUTION 2T lubricant ensure that the engine maintains a high degree of detergency and protection against wear and corrosion. Suitable for engines with separate and mixed lubrication systems. Mixing ratio: use 2% to 4% (depending on the manufacturer's recommendations).



## 2-STROKE ENGINE

### ◀ PERFORMANCE 2T

API TA / TB / TC - JASO FD -  
ISO L-EGC / L-EGD

SYNTHETIC LUBRICANT

**Lubrifiant synthétique à base d'ester très haute performance pour moteurs 2 temps à haut rendement des motos et scooters.** The PROPULS PERFORMANCE 2T lubricant is compatible with the new 2-stroke injection technologies, and is suitable for racing, motocross and enduro motorbikes, as well as scooters. Suitable for engines with separate or mixed lubrication systems. Mixing ratio: use 2% to 4% (depending on the manufacturer's recommendations).



### COMPETITION STS-R

API TA / TB / TC-TSC3+ 100% SYNTHETIC LUBRICANT

**A 100% synthetic ester-based lubricant for 2-stroke motorbike and kart engines.**

CIK- FIA approved. For use only as a 1% to 4% mix (depending on the settings).



# IGOL. PROPULS

LUBRICANTS

## FORKS



### FOURCHE

Grades 10W / 15W / 20W

A high-viscosity-index lubricant for motorbike forks, available as a semi-synthetic 10W lubricant and as a 15W & 20W mineral lubricant.

"MEDIUM" grade (10W) is suitable for "conventional" and "inverted" forks.

"MEDIUM/HARD" (15W) and "HARD" (20W) grades are suitable for conventional forks.



### FOURCHE PERFORMANCE

Grades 2.5W / 5W

HVI synthetic lubricant for motorcycle forks: "LIGHT" 2.5W and "LIGHT/MEDIUM" 5W.

Suitable for "inverted" and "inverted cartridge" forks.



### FACTORY FORK 05

Ultra-light synthetic lubricant with a very low viscosity index for motorcycle shock absorbers and forks.

"ULTRA LIGHT" grade.



## TRANSMISSIONS

### BV2 RACING

JASO MA2 - GL-4  
ESTER-TECHNOLOGY SYNTHETIC LUBRICANT

Grade 10W-40

An extreme pressure synthetic lubricant specially developed for gearboxes with a separate oil bath (wet) clutch for 2-stroke motorbike engines.



### GEAR

GL-4 - GL-5-LS • SEMI-SYNTHETIC LUBRICANT  
Grade 75W-90

A semi-synthetic lubricant for universal joint transmissions and gearboxes with a separate housing.


## AIR FILTER MAINTENANCE



### IGOL PROPULS FILTER CROSS

A highly adhesive protection lubricant, for foam air filters on motocross and enduro motorbikes.

PROPULS FILTER CROSS provides effective particulate retention and protects the engine from abrasive wear. Use PROPULS FILTER CROSS after cleaning the filter using the PROPULS FILTER CLEANER product.



### IGOL PROPULS FILTER CLEANER

A special cleaning product for foam air filters on motocross and enduro motorbikes.

PROPULS FILTER CLEANER degreases and cleans the air filter. The product is water-soluble. Use in combination with the PROPULS FILTER CROSS protection lubricant.

## SPECIAL PRODUCTS

**IGOL.**  
LUBRICANTS



### IGOL PROPULS LR COOLANT

**A "new organic formula" coolant for motorbikes.**

This monoethyleneglycol-based product with organic additives offers exceptional properties, greater than those of traditional coolants. Protects against: freezing down to  $-35^{\circ}\text{C}$ ; corrosion; the formation of deposits; foaming and acidification caused by blow-by gases. Compatible with metals, rubbers and plastics. Miscible and compatible with all organic coolants.



### IGOL PROPULS BRAKE FLUID 5.1

DOT 5.1 SYNTHETIC FLUID

**An LHS DOT 5.1 synthetic brake fluid**

A fluid specially developed for brake circuits and featuring very high stability, a particularly low freezing point and has absolutely no effect on seals. This very high-tech product also has a very high boiling point. Suitable for antilock braking systems. Specifications: ISO 4925, SAE J 1704, FMVSS 116 DOT 5.1 ISO 4925 Non Silicone Base.



### PROPULS CHAIN CLEAN & PROTECT

**Complete maintenance kit for motorcycle chains (road and all terrain), quad, SSV, karting, bicycle.**



### PROPULS HELMET IN & OUT CLEANER

**Complete maintenance kit for motorcycle helmets (road and off-road).**

For deep, fragrant cleaning of the foam padding and streak-free cleaning of glossy and matte helmets, as well as various visor tints.



### IGOL NET PLASTIQUE

A SILICONE-FREE AEROSOL

**With a subtle orange smell for regular and easy maintenance. Leaves no marks nor residues.**



### IGOL RENOV PLASTIQUE

AN AEROSOL THAT CONTAINS SILICONE

**Polish with silicone. Brings out the shine and restores the sparkle.**



### IGOL SUPER NET

HAND-OPERATED SPRAY

**A powerful, water-based cleaner for cars, motorbikes, boats, jet-skis, industrial applications, etc.**



### IGOL DÉGRIPPANT LUBRIFIANT

AEROSOL

**An unseizing agent that also dissolves greases and tars, lubricates and reduces corrosion, moisture levels and friction.**



### IGOL ANTI-CREVAISON

AEROSOL

**Repairs and reinflates tyres with an inner tube or without (tubeless).**



### IGOL FILTER CROSS

AEROSOL

**A special, highly adhesive product for motocross air filters.**



### IGOL PROPULS VISCOCHAINE EVOLUTION

AEROSOL

**A product specially developed to lubricate chains. Stops the ejection of lubricant at high speeds, applies a protective film.**



### IGOL PROPULS CHAIN CLEANER

AEROSOL

**Aerosol cleaner for motorcycle chains (road and all terrain), quad, SSV, go kart, bicycle.**



### IGOL NET FREINS

AEROSOL

**A special degreasing product for brakes and clutches.**





For more information about  
IGOL scan this QR code with  
your smartphone

**IGOL.**  
LUBRICANTS

**IGOL FRANCE**

614, rue de Cagny - CS 19403  
80094 AMIENS CEDEX 3 - FRANCE  
T. +33 3 22 50 22 22